Proceeding No.:	I.08-11-006
Exhibit No.: _	
Witness:	Greg Peck

## DIRECT TESTIMONY OF GREG PECK SAN DIEGO GAS & ELECTRIC COMPANY (RICE FIRE)

BEFORE THE PUBLIC UTILITIES COMMISSION OF THE STATE OF CALIFORNIA June 5, 2009



## DIRECT TESTIMONY OF GREG PECK SAN DIEGO GAS & ELECTRIC COMPANY

Q: Please state your name and title.

A: Greg Peck. I am an Area Forester at SDG&E. My detailed qualifications are appended to this testimony.

Q: Are you familiar with the sycamore tree in the Rice Canyon area with SDG&E Tree ID FF1090?

A: Yes.

Q: What is the purpose of your testimony in these proceedings?

A: I visited the site of tree FF1090 on October 19, 2007, along with Chris Thompson, an SDG&E Area Forester. I am providing testimony regarding that site visit.

Q: Who employed you as of October 19, 2007?

A: I was an Assistant Area Forester with Western Environmental Consultants, Inc. ("WECI"). I worked with SDG&E foresters to resolve customer refusals, evaluated and authorized time & equipment ("T&E") requests from SDG&E contractors such as Davey Tree Surgery and investigated outages. I also conducted field safety visits with SDG&E contractor tree crews. In October 2007, I was Chris Thompson's Assistant Area Forester.

Q: Can you describe the circumstances of the October 19, 2007 visit to the site of tree FF1090?

A: At the October 16, 2007 weekly meeting with Davey Tree Surgery, Davey Tree Surgery had requested that SDG&E consider paying T&E for Davey's trim of tree FF1090 (for trimming overhang). As indicated above, I was assigned as Chris Thompson's Assistant Area Forester at that time, and I attended weekly meetings with Davey Tree Surgery with Chris. When Chris and I were doing our quarterly ride-along on Friday, October 19, 2007, we decided to stop by tree FF1090 to evaluate Davey's T&E request. We parked just north of where the power lines cross the road and got out of the truck to walk along the road to view tree FF1090.

1	Q:	Do you have any record of the site visit on October 19, 2007?	
2	A:	Yes, I recorded the site visit in my daily log for October 19, 2007. I am attaching	
3	a copy of m	y log as Exhibit 1 to this testimony. The entry regarding "VM 379 1548 Rice Cyn"	
4	4 on "Fri 10-19-07" refers to the site visit to tree FF1090.		
5	Q:	What do you recall regarding the T&E request from Davey relating to tree FF1090?	
6	A:	I recall that Davey Tree Surgery requested T&E for trimming the overhang and	
7	7 perhaps for traffic control.		
8	Q:	To your knowledge, was the October 16, 2007 weekly meeting with Davey the first	
9	9 time Davey raised the T&E request relating to tree FF1090?		
10	A:	Yes.	
11	Q:	Was a determination made as a result of your site visit regarding Davey Tree	
12	2 Surgery's T&E request?		
13	A:	Yes. We determined that SDG&E would not pay T&E for trimming the slight	
14	4 overhang but would pay T&E for traffic control.		
15	Q:	When you observed FF1090 on October 19, 2007, do you recall noting any	
16	6 compliance concerns regarding tree FF1090?		
17	A:	No. I don't recall having any concerns about the tree when we observed it on	
18	18 October 19, 2007.		
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			

## QUALIFICATIONS

My name is Greg Peck. I am employed by San Diego Gas & Electric Company
("SDG&E") as an Area Forester in the Vegetation Management Department. My business
address is 8315 Century Park Court, CP22, San Diego, California, 92123. I have thirty-one years
of utility forestry experience, ranging from experience in tree trimming (Asplundh Tree Expert
Company), pre-inspections (Davey Resource Group), auditing/assistant forester (Western
Environmental Consultants, Inc.), and now as an Area Forester at SDG&E. I am a Certified
International Society of Arboriculture ("ISA") Arborist and Utility Specialist (WE7880AU). In
my current capacity as Area Forester, I manage all time & equipment ("T&E") work performed by
SDG&E's tree contractors. I also manage all tree-related special projects that come from other
departments in SDG&E (such as Districts, Land, and Construction Services).