



2024 Electric Vehicle Availability Guide

A summary of currently available battery-electric vehicles for medium- and heavy-duty electric fleets.



SECTION 1

Heavy-Duty Electric Vehicles (Class 7-8)

1. Battle Motors LNT
2. BYD 8TT (T9/Q3M)
3. Einride AET 1,2,3,4
4. Freightliner eCascadia
5. Hino Trucks XL8, XL7
6. Kenworth K370E
7. Kenworth T680E
8. Lion Electric Co. Lion8 Urban Truck
9. Lion Electric Co. Lion8 T
10. Nikola Motor Co. Two, Tre
11. Peterbilt 579EV
12. SEA Electric HD Chassis Cab
13. Tesla Semi
14. Volvo VNR Electric Tractor
15. Volvo VNR Electric Straight Truck

SECTION 2

Electric Yard Tractors

1. Altec Industries TA60 JEMS
2. Autocar E-ACTT
3. BYD 8Y (Q1M)
4. Kalmar Ottawa T2E 4x2 Terminal Tractor
5. Lonestar SV S12, S22, T12, T22
6. MAFI T230e
7. OrangeEV T Series
8. Terberg Tractors Americas YT203-EV
9. TICO Pro Spotter

SECTION 3

Medium-Duty Electric Vehicles (Class 4-7)

1. Alpha Mobility G Series
2. BYD 6F
3. Cenntro City Porter
4. Battle Motors Battle Delivery
5. Bollinger B4
6. Endera Motors L Series
7. Envirotech Electric Cutaway
8. Envirotech Logistics Van
9. Envirotech Urban Truck
10. Freightliner eM2 108
11. FCCC MT50e
12. GreenPower EV Star Series
13. Hexagon Purus Em2
14. Hino XL7
15. Kenworth K370E, K270E
16. Lightning eMotors 6500XD Cab Forward Truck
17. Lightning eMotors E-450 Box Truck
18. Lion Electric Co. Lion6
19. Motiv Power Systems E-450 Step Van and Truck
20. Motiv Power Systems F-59 Step Van
21. Navistar eMV
22. Optimal EV E1
23. Peterbilt 220 EV
24. Phoenix ZEUS 500 Trucks
25. ROUSH CleanTech F-650/750
26. SEA Electric MD Stripped Chassis
27. SEA Electric MD Chassis Cabs
28. SEA Electric MD Cutaways
29. Xos X-Platform 1
30. Zeus Electric Chassis Z Series

SECTION 4

Medium-Duty Electric Vehicles (Class 2-3)

1. Arrival Van
2. Bollinger Deliver-E
3. Bollinger B2
4. BrightDrop EV600
5. BrightDrop EV410
6. CityFreighter CF-1
7. Ford E-Transit
8. Ford F-150 Lightning
9. GMC Hummer
10. Hercules Alpha
11. Lightning eMotors Transit Cargo Van
12. Lordstown Motors Endurance
13. Maxwell Vehicles ePro Electric Vans
14. Mercedes-Benz eSprinter
15. Mullen Class 3
16. RAM 1500
17. Rivian EDV
18. Rivian R1T
19. SEA Electric Ford Transit EV
20. Tesla Cybertruck
21. VMC 1200
22. Workhorse C-Series Vehicles

SECTION 5

Electric Shuttle Buses

1. Alpha Mobility G Series
2. Endera Motor B Series
3. GreenPower EV Star(+)
4. Lightning eMotors E-450 Shuttle Bus
5. Lightning eMotors F-550
6. Lion Electric eLionM – 26'
7. Micro Bird D-Series E-450
8. Optimal EV S1LF
9. Phoenix Zeus 400 – 22'

SECTION 6

Electric Transit Buses

1. Arrival Bus
2. BYD K11M – 60'
3. BYD K7M – 30'
4. BYD K7MER – 30'
5. BYD K9 – 40'
6. BYD K9MD – 40'
7. Gillig Low Floor Plus – 30-40'
8. GreenPower EV250 – 30-32'
9. GreenPower EV350 – 40'
10. Lightning eMotors City Transit Bus – 30-40'
11. New Flyer XE35 – 35'
12. New Flyer XE40 – 40'
13. New Flyer XE60 – 60'
14. NovaBus LFSe(+) – 40'
15. Proterra Catalyst ZX5 – 35' and 40'
16. Proterra Catalyst ZX5+ – 35' and 40'
17. Proterra Catalyst ZX5+ – 40'
18. VMC Vicinity Lightning

SECTION 7

Electric Double Decker Transit Buses

1. GreenPower EV550 – 45' Double Decker

SECTION 8

Electric Work Trucks

1. Alpha Mobility G Series
2. Bollinger B2
3. Endera Motors L Series
4. Envirotech Electric Cutaway
5. Ford F-150 Lightning
6. GMC Hummer
7. GreenPower EV Star Series
8. Hercules Alpha
9. Lightning eMotors E-450 Box Truck
10. Lordstown Motors Endurance
11. Optimal EV E1
12. Phoenix ZEUS 500 Trucks
13. RAM 1500
14. Rivian R1T
15. ROUSH CleanTech F-650/750
16. SEA Electric MD Cutaways
17. Tesla Cybertruck
18. VMC 1200
19. Zeus Electric Chassis Z Series

SECTION 1

Heavy-Duty Electric Vehicles Class 7-8



LNT



Sales Contact:
(619) 564-3700

Weight Class (GVWR): Class 6-8 (26,000 - 54,000 lbs)

Payload: 20,000 lbs

Chassis/Body Type: Tractor

Energy Storage Capacity: 240 kWh

Range: 130 miles

Max Charge Rate: 250 kW

Availability: In production

Base Price: Customized

Website: <https://battlemotors.com/>

[BACK TO TOP](#)

Build a Better Business



BYD 8TT (T9/Q3M)

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 20,000 lbs

Chassis/Body Type: Tractor

Energy Storage Capacity: 422, 563 kWh

Range: 126, 146 miles

Max Charge Rate: 185 kW

Availability: In production

Base Price: Customized

Website: <http://en.byd.com/usa/>

Sales Contact:

John Gerra

Director of Truck Sales

john.gerra@byd.com

[BACK TO TOP](#)



Einride AET 1, 2, 3, 4



Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 35,000 lbs

Chassis/Body Type: Tractor

Energy Storage Capacity: 200-300 kWh

Range: 80-186 miles

Max Charge Rate: Not available

Availability: In production

Base Price: \$10,000 (monthly service fee up to \$22,500)

Website: <https://www.einride.tech/>

[BACK TO TOP](#)



Freightliner eCascadia 116/126

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: Not available

Chassis/Body Type: Tractor

Energy Storage Capacity: 210, 315, 475 kWh

Range: 250 miles

Max Charge Rate: 225 kW

Availability: Pre-production

Base Price: Not available

Website: <https://freightliner.com/e-mobility/>

Sales Contact:

Chris Abarca
District Manager, Western Region
chris.abarca@daimler.com

[BACK TO TOP](#)



Hino Trucks XL8, XL7

Weight Class (GVWR): Class 8 (33,001+ lbs), Class 7 (26,001-33,000 lbs)

Payload: Not available

Chassis/Body Type: Tractor, Straight/Box Truck

Energy Storage Capacity: 220 kWh

Range: 250 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: Not available

Website: <https://www.truckinginfo.com...>

[BACK TO TOP](#)



A **PACCAR** COMPANY



Kenworth K370E

Weight Class (GVWR): Class 7 (26,001-33,000 lbs)

Payload: Not available

Chassis/Body Type: Cab-over

Energy Storage Capacity: 141 kWh, 282 kWh

Range: 100-200 miles

Max Charge Rate: 350 kW

Availability: In production

Base Price: Not available

Website: <https://www.kenworth.com/trucks/k270-k370/>

[BACK TO TOP](#)

Kenworth T680E



A **PACCAR** COMPANY



Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: Not available

Chassis/Body Type: Tractor and straight truck

Energy Storage Capacity: 396 kWh

Range: 100-150 miles

Max Charge Rate: 120 kW

Availability: Production

Base Price: Not available

Website: <https://www.kenworth.com/news/news-releases/2020/february/kenworth-t680e/>

[BACK TO TOP](#)



Lion Electric Co. Lion8 Urban Truck

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 30,000 lbs

Chassis/Body Type: Straight/Box Truck

Energy Storage Capacity: 336 kWh

Range: 170 miles

Max Charge Rate: 100 kW

Availability: In production

Base Price: \$300,000

Website: <https://thelionelectric.com/en>

Sales Contact:

Dave Anderson
Sales Manager

dave.anderson@thelionelectric.com

[BACK TO TOP](#)



Lion Electric Co. Lion8 T

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 30,000 lbs

Chassis/Body Type: Tractor

Energy Storage Capacity: 588 kWh

Range: 210 miles

Max Charge Rate: 100 kW

Availability: In production

Base Price: \$300,000

Website: <https://thelionelectric.com/en>

Sales Contact:

Dave Anderson
Sales Manager

dave.anderson@thelionelectric.com

[BACK TO TOP](#)



Nikola Motor Co. Two, Tre



Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: Not available

Chassis/Body Type: Tractor

Energy Storage Capacity: 750 kWh

Range: 350 miles

Max Charge Rate: 240 kW

Availability: Pre-production

Base Price: Not available

Website: <https://nikolamotor.com/tre>

[BACK TO TOP](#)



A **PACCAR** COMPANY



Sales Contact:

Warner Hall

MD District Sales Manager

Major Markets

Warner.Hall@PACCAR.com

Peterbilt 579EV

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: Customized

Chassis/Body Type: Tractor

Energy Storage Capacity: 396 kWh

Range: 150 miles

Charge Rate: 80 kW

Availability: Pre-production

Base Price: Not available

Website: <https://www.peterbilt.com/electric-vehicles>

[BACK TO TOP](#)

SEA Electric Chassis Cab



Sales Contact:

Steve Brooks

VP of Sales

steveb@sea-electric.com

Weight Class (GVWR): Class 7 (26,001–33,000 lbs); Class 8 (33,001+ lbs)

Payload: 85-90% of conventional load

Available Models: Ford F-750; Freightliner M2 106; Isuzu FTR

Energy Storage Capacity: 138 kWh, 220 kWh

Range: 155-200 miles

Max Charge Rate: 19.2 kW

Availability: In production

Base Price: Not available

Website: <https://www.sea-electric.com/>

[BACK TO TOP](#)

TESLA



Tesla Semi

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: Not available

Chassis/Body Type: Tractor

Energy Storage Capacity: Not available

Range: 300-500 miles

Max Charge Rate: 1.6 MW

Availability: Pre-production

Base Price: \$150,000-\$180,000 (expected)

Website: <https://www.tesla.com/>

Sales Contact:

Graham Carroll

Staff Program Manager & BD,
SemiTruck

gcarroll@tesla.com

[BACK TO TOP](#)



Volvo VNR Electric Tractor

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 27,000-35,000 lbs

Chassis/Body Type: Tractor

Energy Storage Capacity: 264 kWh

Range: 120 miles

Max Charge Rate: 150 kW

Availability: In production

Base Price: Not available

Website: <https://www.volvotrucks.us/trucks/vnr-electric/>

Sales Contact:

Jared Ruiz


Emobility Regional Sales Manager

Western Region

(336)-690-7949

jared.ruiz@volvo.com

[BACK TO TOP](#)



Volvo VNR Electric Straight Truck

Weight Class (GVWR): Class 7 (26,001–33,000 lbs)

Payload: 8,000 lbs

Chassis/Body Type: Straight / Box Truck

Energy Storage Capacity: 264 kW

Range: 150 miles

Max Charge Rate: 150 kW

Availability: In production

Base Price: Not available

Website: <https://www.volvotrucks.us/trucks/vnr-electric/>

Sales Contact:

Jared Ruiz

Emobility Regional Sales Manager

Western Region

(336)-690-7949

jared.ruiz@volvo.com

[BACK TO TOP](#)



SECTION 2

Electric Yard Tractors



TA60 JEMS



Sales Contact:
800-958-2555

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 600 lbs

Chassis/Body Type: Tractor

Energy Storage Capacity: 210 kWh

Range: 135 miles

Max Charge Rate: 125 kW

Availability: Production

Base Price: Customized

Website: <https://www.altec.com/>

[BACK TO TOP](#)



Autocar E-ACTT

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 67,000 lbs

Chassis/Body Type: Yard Tractor

Energy Storage Capacity 210 kWh

Range: 15-22 hrs

Max Charge Rate: 150 kW

Availability: In production

Base Price: Customized

Website: <https://www.autocartruck.com/actt/>

[BACK TO TOP](#)



BYD 8Y (Q1M)

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 82,200 lbs

Chassis/Body Type: Yard Tractor

Energy Storage Capacity 217 kWh

Range: 10+ hrs

Max Charge Rate: 120 kW

Availability: In production

Base Price: \$300,000

Website: <http://en.byd.com/usa/>

Sales Contact:

John Gerra

Director of Truck Sales

john.gerra@byd.com

[BACK TO TOP](#)



Sales Contact:
Donald Lawrence
Sales Manager
Terminal Tractors
dlawrence@papemh.com

Kalmar Ottawa T2E 4x2 Terminal Tractor

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 78,200

Chassis/Body Type: Yard Tractor

Energy Storage Capacity: 132-200 kWh

Range: 8-20 hrs

Max Charge Rate: 70 kW

Availability: In production

Base Price: \$272,000-\$349,000

Website: <https://kalmarottawa.com/>

[BACK TO TOP](#)

LONESTAR **SV** | ELECTRIC



Lonestar SV S12, S22, T12, T22

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: Not available

Chassis/Body Type: Yard Tractor

Energy Storage Capacity: 112 kWh, 220 kWh

Range: 12-22 hours

Max Charge Rate: 163 kW

Availability: In production

Base Price: \$215,000-\$265,000

Website: <https://www.lonestarsv.com/4x2models>

[BACK TO TOP](#)

MAFI T230e

MAFI
TRANSPORT-SYSTEME GMBH



Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 198,000 lbs (GCW)

Chassis/Body Type: Yard Tractor

Energy Storage Capacity: 177 kW

Range: Not available

Max Charge Rate: Not available

Availability: In production

Base Price: Not available

Website: <https://www.mafi.de/en/products/tractors/electric-terminal-tractor-t-230e/>

[BACK TO TOP](#)

Orange EV T Series

ORANGE EV



Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 81,000 lbs

Chassis/Body Type: Yard Tractor

Energy Storage Capacity: 80, 160 kWh

Range: 50, 100 miles

Max Charge Rate: 80 kW

Availability: Production

Base Price: \$200,000-\$280,000

Website: <https://orangeev.com/>

[BACK TO TOP](#)



Terberg Tractors Americas YT203-EV



Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 130,000

Chassis/Body Type: Yard Tractor

Energy Storage Capacity: 96, 148, 222 kW

Range: 5.5, 8, 12 hours

Max Charge Rate: 96 kW

Availability: In production

Base Price: \$270,000-\$355,000

Website: <https://www.terbergtractorsamericas.com/en/>

Sales Contact:

Ron Van Arkel

R.vanArkel@terbergamericas.com

[BACK TO TOP](#)



TICO Pro Spotter

Weight Class (GVWR): Class 8 (33,001+ lbs)

Payload: 42,000

Chassis/Body Type: Yard Tractor

Energy Storage Capacity: 132, 172, 196 kW

Range: Not available

Max Charge Rate: Not available

Availability: Pre-production

Base Price: \$275,000–\$310,000

Website: <http://ticottractors.com/pro-spotter/>

[BACK TO TOP](#)

SECTION 3

**Medium-Duty
Electric Vehicles
Class 4-7**

Alpha Mobility G-Series

 **ALPHA**



Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Payload: 5,088 lbs

Chassis/Body Type: Cutaway

Energy Storage Capacity: 108, 144 kWh

Range: 100-125 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: \$211,000

Website: <https://www.alphamobility.co/>

[BACK TO TOP](#)



BYD 6F

Weight Class (GVWR): Class 6 (19,501-26,000 lbs)

Payload: 12,502 lbs

Chassis/Body Type: Chassis Cab

Energy Storage Capacity: 211 kWh, 282 kWh, 343 kWh

Range: 130-220 miles

Max Charge Rate: 120 kW

Availability: In production

Base Price: Customized

Website: <http://en.byd.com/usa/>

Sales Contact:

John Gerra

Director of Truck Sales

john.gerra@byd.com

[BACK TO TOP](#)

BOLLINGER MOTORS



Sales Contact:
sales@bollingermotors.com

B4

Weight Class (GVWR): Class 4 (15,500 lbs)

Payload: 7,325 lbs

Chassis/Body Type: Chassis Cab

Energy Storage Capacity: 211 kWh, 282 kWh, 343 kWh

Range: 185 miles

Max Charge Rate: 110 kW

Availability: In production

Base Price: Customized

Website: <https://bollingermotors.com/>

[BACK TO TOP](#)

CENNTRO



Cenntro City Porter

Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Payload: 5,466 lbs

Chassis/Body Type: Van-Cargo

Energy Storage Capacity: 127 kWh

Range: 220 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: Not available

Website: <https://www.prnewswire.com/...>

[BACK TO TOP](#)

Battle Motors Battle Delivery



Weight Class (GVWR): Class 6 (19,501-26,000 lb)

Payload: Not available

Chassis/Body Type: Straight/box truck

Energy Storage Capacity: Not available

Range: 350 miles

Max Charge Rate: Not available

Availability: Production

Base Price: Not available

Website: <https://battlemotors.com/pages/medium-duty>

[BACK TO TOP](#)



Endera Motors L Series

Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Payload: 6,900-6,100 lbs

Chassis/Body Type: Straight/Box Truck

Energy Storage Capacity: 151 kWh

Range: 135 miles

Max Charge Rate: 180 kW

Availability: In production

Base Price: \$173,598

Website: <https://www.enderamotors.com/our-l-series>

[BACK TO TOP](#)



Envirotech Electric Cutaway

Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Payload: 8,488 lbs

Chassis/Body Type: Cutaway

Energy Storage Capacity: 106 kWh

Range: 170 miles

Max Charge Rate: 6.6 kWh

Availability: In production

Base Price: 119,900

Website: <https://envirotechvehicles.com>

[BACK TO TOP](#)



Envirotech Logistics Van

Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Payload: 7,800 lbs

Chassis/Body Type: Van-Cargo

Energy Storage Capacity: 106 kWh

Range: 170 miles

Max Charge Rate: 6.6 kWh

Availability: In production

Base Price: 114,900

Website: <https://envirotechvehicles.com>

[BACK TO TOP](#)



Envirotech Urban Truck

Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Payload: 8,488 lbs

Chassis/Body Type: Chassis-cab

Energy Storage Capacity: 106 kWh

Range: 170 miles

Max Charge Rate: 6.6 kWh

Availability: In production

Base Price: 119,900

Website: <https://envirotechvehicles.com>

[BACK TO TOP](#)



Freightliner eM2 108

Weight Class (GVWR): Class 7 (26,001-33,000 lbs) and Class 6 (19,501-26,000 lbs)

Payload: Not available

Chassis/Body Type: Straight truck

Energy Storage Capacity: 210, 315 kWh

Range: 230 miles

Max Charge Rate: 150 kW

Availability: Pre-production

Base Price: Not available

Website: <https://freightliner.com/e-mobility/>

Sales Contact:

Chris Abarca
District Manager,
Western Region

chris.abarca@daimler.com

[BACK TO TOP](#)



Sales Contact:

Chris Abarca
District Manager,
Western Region
chris.abarca@daimler.com

Freightliner Custom Chassis Corporation MT-50e

Weight Class (GVWR): Class 5 (16,001-19,500 lbs)

Payload: 23,000 lbs

Chassis/Body Type: Van

Energy Storage Capacity: 226 kWh

Range: 170 miles

Max Charge Rate: 150 kW

Availability: Production

Base Price: Not available

Website: <https://www.fccccommercial.com/...>

[BACK TO TOP](#)



GreenPower EV Star Series

Weight Class (GVWR): Class 5 (16,001-19,500 lbs),
Class 4 (14,001-16,000 lb)

Payload: 6,000-6,000 lbs

Chassis/Body Type: Van, Straight/Box Truck, Cutaway

Energy Storage Capacity: 118 kWh

Range: 150 miles

Max Charge Rate: 50 kW

Availability: Production

Base Price: \$149,900

Website: <https://www.greenpowerbus.com>

Sales Contact:

Ryan Shetterly

Vice President

Sales & Marketing

ryne@greenpowerbus.com

[BACK TO TOP](#)

Hexagon Purus eM2



Weight Class (GVWR): Class 7 (26,001-33,000 lbs) and Class 6 (19,501-26,000 lbs)

Payload: 13,610-20,610 lbs

Chassis/Body Type: Straight truck

Energy Storage Capacity: 220, 440 kWh

Range: 125-250 miles

Max Charge Rate: 22 kW

Availability: Pre-production

Base Price: Not available

Website: <https://hexagonpurus.com/our-solutions/battery-and-fuel-cell>

[BACK TO TOP](#)



Hino Trucks XL7

Weight Class (GVWR): Class 7 (26,001-33,000 lbs),

Payload: Not available

Chassis/Body Type: Tractor

Energy Storage Capacity: 220 kWh

Range: 200 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: Not available

Website: <https://www.truckinginfo.com...>

[BACK TO TOP](#)

Kenworth K370E, K270E



A **PACCAR** COMPANY



Sales Contact:

Lance Barton
Medium Duty Sales Manager
Western Region
Lance/Barton@paccar.com

Weight Class (GVWR): Class 7 (26,001-33,000 lbs), Class 6 (19,501-26,000 lbs)

Payload: Not available

Chassis/Body Type: Cab-over

Energy Storage Capacity: 141 kWh, 282 kWh

Range: 100-200 miles

Max Charge Rate: 350 kW

Availability: In production

Base Price: Not available

Website: <https://www.kenworth.com/trucks/k270-k370/>

[BACK TO TOP](#)



Lightning eMotors 6500XD



Weight Class (GVWR): Class 6 (19,501-26,000 lbs)

Payload: 13,500 lbs

Chassis/Body Type: Cab-over

Energy Storage Capacity: 128-192 kWh

Range: 88-130 miles

Max Charge Rate: 80 kW

Availability: In production

Base Price: Customized

Website: <https://lightningemotors.com/lightningelectric-chevrolet-6500xd/>

Sales Contact:

Julie Johnson
Enterprise Business Development
julie.johnson@lightningsystems.com

[BACK TO TOP](#)



Lightning eMotors E-450 Box Truck



Weight Class (GVWR): Class 4 (14,000-16,000 lbs)

Payload: 6,900 lbs

Chassis/Body Type: Cutaway

Energy Storage Capacity: 86 kWh, 129 kWh

Range: 80-110 miles

Max Charge Rate: 80kW

Availability: In production

Base Price: Customized

Website: <https://lightningemotors.com/lightningelectric-e450-cutaway/>

Sales Contact:

Julie Johnson

Enterprise Business Development

julie.johnson@lightningsystems.com

[BACK TO TOP](#)

Build a Better Business



Lion Electric Co. Lion6



Sales Contact:

Dave Anderson
Sales Manager

dave.anderson@thelionelectric.com

Weight Class (GVWR): Class 6 (19,501-26,000 lb)

Payload: Not available

Chassis/Body Type: Straight/Box Truck

Energy Storage Capacity: 252 kWh

Range: 180 miles

Max Charge Rate: 100 kW

Availability: In production

Base Price: Not available

Website: <https://thelionelectric.com/en>

[BACK TO TOP](#)



Sales Contact:

John Felts
Sales Representative
NorCal & NW USA
john.felts@motivps.com

Motiv Power Systems EPIC E-450

Weight Class (GVWR): Class 4 (14,000-16,000 lbs)

Payload: 5,000-6,000 lbs

Chassis/Body Type: Cutaway, Stripped Chassis

Energy Storage Capacity: 127 kWh

Range: 105 miles

Max Charge Rate: 60 kW

Availability: In production

Base Price: Customized; available upon request

Website: <https://www.motivps.com/motivps/>

[BACK TO TOP](#)

Motiv Power Systems EPIC F-59



Sales Contact:
John Felts
Sales Representative
NorCal & NW USA
john.felts@motivps.com

Weight Class (GVWR): Class 6 (19,501-26,000 lbs)

Payload: 10,000 lbs

Chassis/Body Type: Stripped Chassis

Energy Storage Capacity: 127 kWh

Range: 105 miles

Max Charge Rate: 60 kW

Availability: In production

Base Price: Customized; available upon request

Website: [https://www.motivps.com/motivps/
portfolio-items/epicf59-allelectric-stepvan/](https://www.motivps.com/motivps/portfolio-items/epicf59-allelectric-stepvan/)

[BACK TO TOP](#)



Motiv Power Systems EPIC F-59



Sales Contact:
John Felts
Sales Representative
NorCal & NW USA
john.felts@motivps.com

Weight Class (GVWR): Class 6 (19,501-26,000 lbs)

Payload: 10,000 lbs

Chassis/Body Type: Stripped Chassis

Energy Storage Capacity: 127 kWh

Range: 105 miles

Max Charge Rate: 60 kW

Availability: In production

Base Price: Customized; available upon request

Website: [https://www.motivps.com/motivps/
portfolio-items/epicf59-allelectric-stepvan/](https://www.motivps.com/motivps/portfolio-items/epicf59-allelectric-stepvan/)

[BACK TO TOP](#)

Navistar eMV



Sales Contact:

Jason Gies

Director of Business Development

jason.gies@navistar.com

Weight Class (GVWR): Class 7 (26,001-33,000 lbs), Class 6 (19,501-26,000 lbs)

Payload: Not available

Chassis/Body Type: Chassis Cab

Energy Storage Capacity: 210 kWh

Range: 135 miles

Max Charge Rate: 125 kW

Availability: Production

Base Price: Not available

Website: <https://www.internationaltrucks.com/trucks/mv-series>

[BACK TO TOP](#)



Optimal EV E1



Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Payload: Not available

Chassis/Body Type: Cutaway

Energy Storage Capacity: 134 kWh

Range: 125 miles

Max Charge Rate: 60 kW

Availability: In production

Base Price: \$120,000

Website: <https://optimal-ev.com/about>

[BACK TO TOP](#)



A **PACCAR** COMPANY



Sales Contact:

Warner Hall

MD District Sales Manager

Major Markets

Warner.Hall@PACCAR.com

Peterbilt 220 EV

Weight Class (GVWR): Class 7 (26,001-33,000 lb),
Class 6 (19,501-26,000 lbs)

Payload: 26,000-33,000 lbs

Chassis/Body Type: Straight/Box Truck

Energy Storage Capacity: 141 kWh, 282 kWh

Range: 100, 200 miles

Max Charge Rate: 150 kW

Availability: Production

Base Price: Not available

Website: <https://www.peterbilt.com/electric-vehicles>

[BACK TO TOP](#)

Phoenix ZEUS 500 Truck



Weight Class (GVWR): Class 4 (14,000-16,000 lbs)

Payload: 6,500 lbs

Chassis/Body Type: Cutaway

Energy Storage Capacity: 63-156 kWh

Range: 70-160 mi

Max Charge Rate: 50 kW

Availability: In production

Base Price: \$202,500

Website: <http://www.phoenixmotorcars.com/products/#trucks>

Sales Contact:

Thomas Allen
Sales Manager

thomasa@phoenixmotorcars.com

[BACK TO TOP](#)

ROUSH[®]
CLEANTECH



ROUSH CleanTech F-650

Weight Class (GVWR): Class 6 (19,501-26,000 lb)

Payload: 14,500 lbs

Chassis/Body Type: Chassis Cab

Energy Storage Capacity: 138 kWh

Range: 100 miles

Max Charge Rate: 19.2 kW

Availability: Pre-production

Base Price: Not available

Website: <https://www.roushcleantech.com/ford-f-650-chassis-cab/>

[BACK TO TOP](#)

Sales Contact:
Adam Wilkum
Business Development
Manager 313.400.8676
adam.wilkum@roush.com



Sales Contact:

Steve Brooks

VP of Sales

steveb@sea-electric.com

SEA Electric MD Stripped Chassis

Weight Class (GVWR): Class 6 (19,501-26,000 lbs), Class 5 (16,001-19,500 lbs), Class 4 (14,000-16,000 lbs)

Payload: 8,500-16,150 lbs

Available Models: SEA F-59, SEA MT45/55

Energy Storage Capacity: 138 kWh

Range: 200 miles

Max Charge Rate: 19.2 kW

Availability: In production (conversion and repower)

Base Price: Not available

Website: <https://www.sea-electric.com/>

[BACK TO TOP](#)



SEA Electric MD Chassis Cabs

Weight Class (GVWR): Class 4 (14,000-16,000 lbs); Class 5 (16,001-19,500 lbs); Class 6 (19,501-26,000 lbs)

Payload: 85% - 90% of conventional load

Available Models: Ford F-750, Hino 195/197, Freightliner M2 106, Isuzu FTR/NPR/NQR/NRR

Energy Storage Capacity: 100 kWh, 138 kWh

Range: 170-200 miles

Max Charge Rate: 19.2 kW

Availability: In production (conversion and repower)

Base Price: Not available

Website: <https://www.sea-electric.com/>

Sales Contact:

Steve Brooks

VP of Sales

steveb@sea-electric.com

[BACK TO TOP](#)



SEA Electric MD Cutaways

Weight Class (GVWR): Class 4 (14,000-16,000 lbs); Class 5 (16,001-19,500 lbs); Class 6 (19,501-26,000 lbs)

Payload: 85% - 90% of conventional load

Available Models: Ford F-650

Energy Storage Capacity: 138 kWh

Range: 200 miles

Max Charge Rate: 19.2 kW

Availability: In production (conversion and repower)

Base Price: Not available

Website: <https://www.sea-electric.com/>

Sales Contact:

Steve Brooks

VP of Sales

steveb@sea-electric.com

[BACK TO TOP](#)



Sales Contact:
Austin Benzinger
Director
Business Development
abenzinger@xostrucks.com

Xos X-Platform 1

Weight Class (GVWR): Class 6 (19,501-26,000 lbs)

Payload: Not available

Chassis/Body Type: Stripped Chassis

Energy Storage Capacity: Not available

Range: 200 miles

Max Charge Rate: Not available

Availability: In production

Base Price: Not available

Website: <https://xostrucks.com/>

[BACK TO TOP](#)

Zeus Electric Chassis Z-19, Z-22, Z-26

ZEUS
ELECTRIC CHASSIS



Weight Class (GVWR): Class 6 (19,501-26,000 lbs), Class 5 (16,001-19,500 lbs)

Payload: 8,000-13,000 lbs

Chassis/Body Type: Cutaway

Energy Storage Capacity: Not available

Range: 200 miles

Max Charge Rate: Not available

Availability: In production

Base Price: Not available

Website: <https://xostrucks.com/>

[BACK TO TOP](#)



SECTION 4

Medium-Duty Electric Vehicles Class 2-3



ARRIVAL

Arrival Van (H3L3 Walk-In)

Weight Class (GVWR): Class 2 (6,001-10,000 lb)

Payload: 3,913 lbs

Chassis/Body Type: Van

Energy Storage Capacity: 67 kWh, 111 kWh

Range: 110-215 miles

Max Charge Rate: 120 kW

Availability: Pre-production

Base Price: Not available

Website: <https://arrival-site-cms.s3.eu-west-2...>



[BACK TO TOP](#)

BOLLINGER MOTORS



Bollinger Deliver-E

Weight Class (GVWR): Class 3 (10,001-14,000 lb)

Payload: Not available

Chassis/Body Type: Van

Energy Storage Capacity: 70, 105, 140, 175, 210 kWh

Range: 200 miles

Max Charge Rate: 100 kW

Availability: Pre-production

Base Price: \$125,000

Website: <https://bollingerb2.com/bollinger-b2/>

[BACK TO TOP](#)

BOLLINGER MOTORS

Bollinger B2

Weight Class (GVWR): Class 3 (10,001-14,000 lb)

Payload: 5,000 lbs

Chassis/Body Type: Chassis Cab, Pickup

Energy Storage Capacity: 142 kWh

Range: 200 miles

Max Charge Rate: 100 kW

Availability: Pre-production

Base Price: \$125,000

Website: <https://bollingeremotors.com/bollinger-b2/>



[BACK TO TOP](#)



BrightDrop EV600



Weight Class (GVWR): Class 2 (6,001-10,000 lb)

Payload: 2,200 lbs

Chassis/Body Type: Van

Energy Storage Capacity: Not available

Range: 250 miles

Max Charge Rate: 120 kW

Availability: In production

Base Price: Not available

Website: <https://www.gobrightdrop.com/>

[BACK TO TOP](#)



BrightDrop EV410



Weight Class (GVWR): Class 2 (6,001-10,000 lb)

Payload: 200 lbs

Chassis/Body Type: Van

Energy Storage Capacity: Not available

Range: 250 miles

Max Charge Rate: 120 kW

Availability: Pre-production

Base Price: Not available

Website: <https://www.gobrightdrop.com/>

[BACK TO TOP](#)



CityFreighter CF1



Weight Class (GVWR): Class 3 (10,001-14,000 lb)

Payload: 4,800 lbs

Chassis/Body Type: Straight/Box Truck

Energy Storage Capacity: Not available

Range: 100 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: Not available

Website: <https://www.cityfreighter.com/>

[BACK TO TOP](#)



Ford E-Transit

Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: 4,290-3,800 lbs

Chassis/Body Type: Cutaway, Cab Chassis, Van

Energy Storage Capacity: 67 kWh

Range: 126 miles

Max Charge Rate: 115 kW

Availability: Production

Base Price: \$45,000

Website: <https://www.ford.com/...>

[BACK TO TOP](#)



Ford F-150 Lightning

Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: 2,000 lbs

Chassis/Body Type: Pickup

Energy Storage Capacity: Not available

Range: 230-300 miles

Max Charge Rate: 19.2 kW

Availability: In production

Base Price: \$39,974

Website: <https://www.ford.com/...>



[BACK TO TOP](#)

GMC Hummer

 GMC

WE ARE PROFESSIONAL GRADE



Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: Not available

Chassis/Body Type: Pickup

Energy Storage Capacity: 192 kWh

Range: 350 miles

Max Charge Rate: 350 kW

Availability: Pre-production

Base Price: \$112,595

Website: <https://www.gmc.com/electric-truck/hummer-ev>

[BACK TO TOP](#)

Hercules Alpha



Weight Class (GVWR): Class 3 (10,001-11,000 lbs)

Payload: 2,500 lbs

Chassis/Body Type: Pickup

Energy Storage Capacity: Not available

Range: 350 miles

Max Charge Rate: Not available

Availability: In production

Base Price: Not available

Website: <https://herculesev.com/hercules-alpha-2/>

[BACK TO TOP](#)



Lightning eMotors Transit Cargo Van



Weight Class (GVWR): Class 3 (10,001-11,000 lbs)

Payload: 4,138 lbs

Chassis/Body Type: Van

Energy Storage Capacity: 80 kWh, 120 kWh

Range: 140-170 miles

Max Charge Rate: 80 kW

Availability: In production

Base Price: Contact for details

Website: <https://lightningsystems.com/lightningelectric-ford-transit-cargo/>

[BACK TO TOP](#)

Sales Contact:

Julie Johnson

Enterprise Business Development

julie.johnson@lightningsystems.com



Lordstown Motors Endurance

Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: 3,000 lbs (7,500 lbs tow)

Chassis/Body Type: Pickup

Energy Storage Capacity: 109 kWh

Range: 250 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: \$52,500

Website: <https://lordstownmotors.com/pages/endurance>

[BACK TO TOP](#)



Maxwell Vehicles ePro Electric Vans



Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: 4,100 lbs (4,600 lbs tow)

Chassis/Body Type: Van

Energy Storage Capacity: 54-75 kWh

Range: 100-200 miles

Max Charge Rate: 200 kW

Availability: In production

Base Price: \$34,990 - \$45,000

Website: <https://www.maxwellvehicles.com/>

[BACK TO TOP](#)



Mercedes-Benz



Mercedes-Benz eSprinter

Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: 1,964-2,293 lbs

Chassis/Body Type: Van

Energy Storage Capacity: 44 kWh, 55 kWh

Range: 70-90 miles

Max Charge Rate: 80 kW

Availability: In production

Base Price: \$70,000

Website: <https://www.mbvans.com/sprinter/commercial-vans/passenger-van>

[BACK TO TOP](#)



Mercedes-Benz



Class 3 Urban Utility

Weight Class (GVWR): Class 3 (11,000 lbs)

Payload: 5,316 lbs

Chassis/Body Type: Utility

Energy Storage Capacity: 89 kWh

Range: 125 miles

Max Charge Rate: 78 kW

Availability: In production

Base Price: \$68,500

Website: <https://mullencommercial.com/>

[BACK TO TOP](#)



RAM



RAM 1500

Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: Not available

Chassis/Body Type: Pickup

Energy Storage Capacity: 159-200 kWh

Range: 500 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: Not available

Website: <https://www.forbes.com/wheels/news/...>

[BACK TO TOP](#)



Rivian EDV (500, 700, 900)

Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: Not available

Chassis/Body Type: Van

Energy Storage Capacity: Not available

Range: 120-201 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: Not available

Website: <https://rivian.com/>

[BACK TO TOP](#)



Rivian R1T

Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: 1,760 lbs (11,000 lbs tow)

Chassis/Body Type: Pickup

Energy Storage Capacity: 105 kWh, 135 kWh, 180 kWh

Range: 314 miles

Max Charge Rate: 160 kW

Availability: Pre-production

Base Price: \$67,500

Website: <https://rivian.com/>

[BACK TO TOP](#)



Sales Contact:
Steve Brooks
VP of Sales
steveb@sea-electric.com

SEA Electric Ford Transit EV

Weight Class (GVWR): Class 3 (10,001-14,000 lbs)

Payload: 3,944 lbs

Chassis/Body Type: Van

Energy Storage Capacity: 88 kWh

Range: 190 miles


Max Charge Rate: 19.2 kW

Availability: In production

Base Price: Not available

Website: <https://www.sea-electric.com/>

[BACK TO TOP](#)



Tesla Cybertruck

Weight Class (GVWR): Class 2 (6,001-10000 lbs)

Payload: 3,500 lbs

Chassis/Body Type: Pickup

Energy Storage Capacity: Not available

Range: 250 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: \$39,900

Website: <http://www.tesla.com>

[BACK TO TOP](#)

VMC



VMC 1200

Weight Class (GVWR): Class 3 (10,001-14,000 lbs)

Payload: 6,000 lbs

Chassis/Body Type: Straight/Box Truck

Energy Storage Capacity: 150 kWh

Range: 180 miles

Max Charge Rate: 50 kW

Availability: In production

Base Price: Not available

Website: <https://vmctrucks.com/>

[BACK TO TOP](#)

WORKHORSE™



Sales Contact:

Pax Lindell

Sales

sales@workhorse.com

Workhorse C-Series Vehicles

Weight Class (GVWR): Class 3 (10,001-14,000 lbs)

Payload: 6,000 lbs

Chassis/Body Type: Straight/Box Truck

Energy Storage Capacity: 35, 70 kWh

Range: 50-100 miles

Max Charge Rate: Not available

Availability: In production

Base Price: Not available

Website: <https://workhorse.com/>

[BACK TO TOP](#)



SECTION 5

Electric Shuttle Buses

Alpha Mobility G Series

 ALPHA



Weight Class (GVWR): Class 4 (14,001-16,000 lbs)

Passenger Capacity: 25 people

Chassis/Body Type: Shuttle Bus

Energy Storage Capacity: 108 kWh, 144 kWh

Range: 100-125 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: \$222,000

Website: <https://www.alphamobility.co/>

[BACK TO TOP](#)



Endera Motors B Series



Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Passenger Capacity: 16 people

Chassis/Body Type: Shuttle Bus

Energy Storage Capacity: 151 kWh

Range: 135 miles

Max Charge Rate: 180 kW

Availability: In production

Base Price: \$196,075

Website: <https://www.enderamotors.com/>

[BACK TO TOP](#)



GreenPower EV Star(+)

Weight Class (GVWR): Class 4 (14,001-16,000 lbs)

Passenger Capacity: 19-24 people

Chassis/Body Type: Shuttle Bus

Energy Storage Capacity: 118 kWh

Range: 150 miles

Max Charge Rate: 50 kW

Availability: In production

Base Price: \$172,900

Website: <http://www.greenpowerbus.com/>

Sales Contact:

Ryne Shetterly

Vice President

Sales & Marketing

ryne@greenpowerbus.com

[BACK TO TOP](#)



Lightning eMotors E-450 Shuttle Bus

Weight Class (GVWR): Class 4 (14,001-16,000 lbs)

Passenger Capacity: 24 people

Chassis/Body Type: Shuttle Bus

Energy Storage Capacity: 86 kWh, 129 kWh

Range: 80-120 miles

Max Charge Rate: 80 kW

Availability: In production

Base Price: Customized

Website: <https://lightningemotors.com/lightningelectric-e450...>



Sales Contact:

Julie Johnson

Enterprise Business Development

julie.johnson@lightningsystems.com

[BACK TO TOP](#)

Lightning eMotors F-550



Weight Class (GVWR): Class 5 (16,001-19,500 lbs)

Passenger Capacity: Not available

Chassis/Body Type: Shuttle Bus

Energy Storage Capacity: 128 kWh

Range: 110 miles

Max Charge Rate: 80 kW

Availability: In production

Base Price: Customize

Website: <https://lightningsystems.com/about-us>

Sales Contact:

Julie Johnson

Enterprise Business Development

julie.johnson@lightningsystems.com

[BACK TO TOP](#)



Sales Contact:

Nate Baguio

Vice President of Sales

USA - Buses

nate.baguio@thelionelectric.com

Lion Electric eLionM – 26'

Weight Class (GVWR): Class 6 (19,501-26,000)

Passenger Capacity: 31 people

Chassis/Body Type: Shuttle Bus

Energy Storage Capacity: 160 kWh

Range: 150 miles

Max Charge Rate: 80 kW

Availability: In production

Base Price: \$290,000

Website: <https://thelionelectric.com/en>

[BACK TO TOP](#)



Micro Bird D-Series E-450

Weight Class (GVWR): Class 4 (14,001-16,000 lbs)

Passenger Capacity: 28 people

Chassis/Body Type: Shuttle Bus

Energy Storage Capacity: 88 kWh

Range: 100 miles

Max Charge Rate: 13 kW

Availability: In production

Base Price: \$283,000

Website: <https://mbcbus.com/product/d-series/>

[BACK TO TOP](#)



Optimal EV S1LF



Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Passenger Capacity: Not available

Chassis/Body Type: Shuttle Bus

Energy Storage Capacity: 113 kWh

Range: 125 miles

Max Charge Rate: 60 kW

Availability: In production

Base Price: Not available

Website: <https://optimal-ev.com/about>

[BACK TO TOP](#)



Phoenix Zeus 400 – 22'

Weight Class (GVWR): Class 4 (14,001-16,000 lbs)

Passenger Capacity: 18 people

Chassis/Body Type: Shuttle Bus

Energy Storage Capacity: 63-156 kWh

Range: 70-160 miles

Max Charge Rate: 50 kW

Availability: In production

Base Price: \$225,000

Website: <http://www.phoenixmotorcars.com>

Sales Contact:

Thomas Allen
Sales Manager

thomasa@phoenixmotorcars.com

[BACK TO TOP](#)



SECTION 6

Electric Transit Buses



ARRIVAL

Arrival Bus

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 80 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 311kWh

Range: 150-249 miles

Max Charge Rate: 120 kW

Availability: Pre-production

Base Price: Not available

Website: <https://arrival.com/us/en>



[BACK TO TOP](#)



BYD K11M – 60'

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 48-56 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 352 kWh, 446 kWh, 578 kWh

Range: 198 miles

Max Charge Rate: 150 kW

Availability: In production

Base Price: Customized

Website: <http://en.byd.com/usa/>

Sales Contact:

Patrick Duan

Vice President of Operations

patrick.duan@byd.com

[BACK TO TOP](#)



Sales Contact:
Patrick Duan
Vice President of Operations
patrick.duan@byd.com

BYD K7M – 30'

Weight Class (GVWR): Class 7 (26,001-33,000 lbs)

Passenger Capacity: 23 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 215 kWh

Range: 158 miles

Max Charge Rate: 150 kW

Availability: In production

Base Price: Customized

Website: <http://en.byd.com/usa/>

[BACK TO TOP](#)



Sales Contact:
Patrick Duan
Vice President of Operations
patrick.duan@byd.com

BYD K7MER – 30'

Weight Class (GVWR): Class 7 (26,001-33,000 lbs)

Passenger Capacity: 21 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 266 kWh, 313 kWh

Range: 196 miles

Max Charge Rate: 150 kW

Availability: In production

Base Price: Customized

Website: <http://en.byd.com/usa/>

[BACK TO TOP](#)



BYD K9 – 40'

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 38 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 313 kWh

Range: 157 miles

Max Charge Rate: 150 kW

Availability: In production

Base Price: Customized

Website: <http://en.byd.com/usa/>

Sales Contact:

Patrick Duan

Vice President of Operations

patrick.duan@byd.com

[BACK TO TOP](#)



BYD K9MD – 40'

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 43 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 266-446 kWh

Range: 203 miles

Max Charge Rate: 150 kW

Availability: In production

Base Price: Customized

Website: <http://en.byd.com/usa/>

Sales Contact:

Patrick Duan

Vice President of Operations

patrick.duan@byd.com

[BACK TO TOP](#)

GILLIG



Gillig Low Floor Plus – 30-40’

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 35 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 296 kWh, 444 kWh

Range: Not available

Max Charge Rate: Not available

Availability: In production

Base Price: Not available

Website: <https://www.gillig.com/>

Sales Contact:
Bus Sales
(510) 785-1500
sales@gillig.com

[BACK TO TOP](#)



GreenPower EV250 – 30-32'

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 25 people + standees

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 210 kWh

Range: 175+ miles

Max Charge Rate: 100 kW

Availability: In production

Base Price: \$499,900

Website: <http://www.greenpowerbus.com/>

Sales Contact:

Ryne Shetterly

Vice President

Sales & Marketing

ryne@greenpowerbus.com

[BACK TO TOP](#)



GreenPower EV350 – 40'

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 40 people + standees

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 320 kWh

Range: 185 miles

Max Charge Rate: 200 kW

Availability: In production

Base Price: \$749,000

Website: <http://www.greenpowerbus.com/>

Sales Contact:

Ryne Shetterly

Vice President

Sales & Marketing

ryne@greenpowerbus.com



Lightning eMotors City Transit Bus – 30-40'



Weight Class (GVWR): Class 8 (33,001+ lbs), Class 7 (26,001-33,000 lbs)

Passenger Capacity: 20-30 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 320 kWh

Range: 140-200 miles

Max Charge Rate: 50 kW

Availability: In production

Base Price: Customized

Website: <https://lightningemotors.com/buses/>

[BACK TO TOP](#)

Sales Contact:

Julie Johnson

Enterprise Business Development

julie.johnson@lightningsystems.com



New Flyer XE35 – 35'

Weight Class (GVWR): Class 7 (26,001-33,000 lbs)

Passenger Capacity: 67 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 350 kWh, 454 kWh

Range: 179-220 miles

Max Charge Rate: 150 kW (depot), 450 kW (on-route)

Availability: In production

Base Price: \$735,000

Website: <https://www.newflyer.com/>

Sales Contact:

Daniel Trujillo

Regional Sales Manager

California

Daniel_Trujillo@newflyer.com

[BACK TO TOP](#)



New Flyer XE40 – 40'

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 80 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 350 kWh, 440 kWh, 545 kWh

Range: 174-260 miles

Max Charge Rate: 150 kW (depot), 450 kW (on-route)

Availability: In production

Base Price: \$750,000

Website: <https://www.newflyer.com/>

Sales Contact:

Daniel Trujillo

Regional Sales Manager

California

Daniel_Trujillo@newflyer.com

[BACK TO TOP](#)



New Flyer XE60 – 60'

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 123 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 525 kWh

Range: 153 miles

Max Charge Rate: 150 kW (depot), 450 kW (on-route)

Availability: In production

Base Price: \$1,100,000

Website: <https://www.newflyer.com/>

Sales Contact:

Daniel Trujillo

Regional Sales Manager

California

Daniel_Trujillo@newflyer.com

[BACK TO TOP](#)

NOVABUS



NovaBus LFSe(+)-40'

Weight Class (GVWR): Class 7 (26,001-33,000 lbs)

Passenger Capacity: 68-71 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 564 kWh

Range: 211-292 miles

Max Charge Rate: 150 kW (depot), 450 kW (on-route)

Availability: In production

Base Price: Not available

Website: <http://novabus.com/>

Sales Contact:
Denton Shuey
denton.shuey@volvo.com

[BACK TO TOP](#)



Proterra Catalyst ZX5 – 35' and 40'

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 29 and 40 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 225 kWh

Range: 91-125 miles

Max Charge Rate: 133 kW (plug in); 177 kW (overhead)

Availability: In production

Base Price: \$609,000

Website: <https://www.proterra.com/>

Sales Contact:

Bill Williams

Director, Commercial Sales

bwilliams@proterra.com

[BACK TO TOP](#)



Proterra Catalyst ZX5+ – 35' and 40'

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 29 people and 40 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 440 kWh

Range: 154-240 miles

Max Charge Rate: 135 kW (plug-in); 355 kW (overhead)

Availability: In production

Base Price: \$709,000

Website: <https://www.proterra.com/>

Sales Contact:

Bill Williams

Director, Commercial Sales

bwilliams@proterra.com

[BACK TO TOP](#)



Proterra Catalyst ZX5+ – 40'

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 40 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 675 kWh

Range: 205-329 miles

Max Charge Rate: 135 kW (plug in); 407 kW (overhead)

Availability: In production

Base Price: Not available

Website: <https://www.proterra.com/>

Sales Contact:

Bill Williams

Director, Commercial Sales

bwilliams@proterra.com

[BACK TO TOP](#)

VMC



VMC Vicinity Lightning

Weight Class (GVWR): Class 6 (19,501-26,000 lbs)

Passenger Capacity: 34 people

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 168 kWh, 252 kWh

Range: 185 miles

Max Charge Rate: 160 kW

Availability: In production

Base Price: Not available

Website: <https://vmctrucks.com/>

[BACK TO TOP](#)

SECTION 7

**Double Decker
Electric Transit Buses**



GreenPower EV550 – 45' Double Decker

Weight Class (GVWR): Class 8 (33,001+ lbs)

Passenger Capacity: 100 people + standees

Chassis/Body Type: Transit Bus

Energy Storage Capacity: 478 kWh

Range: 240 miles

Max Charge Rate: 200 kW

Availability: In production

Base Price: \$1,069,000

Website: <http://www.greenpowerbus.com/>

Sales Contact:

Ryne Shetterly

Vice President

Sales & Marketing

ryne@greenpowerbus.com

[BACK TO TOP](#)

SECTION 8

Electric Work Trucks

Alpha Mobility G-Series

 **ALPHA**



Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Payload: 5,088 lbs

Chassis/Body Type: Cutaway

Energy Storage Capacity: 108, 144 kWh

Range: 100-125 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: \$211,000

Website: <https://www.alphamobility.co/>

[BACK TO TOP](#)

BOLLINGER MOTORS

Bollinger B2

Weight Class (GVWR): Class 3 (10,001-14,000 lb)

Payload: 5,000 lbs

Chassis/Body Type: Chassis Cab, Pickup

Energy Storage Capacity: 142 kWh

Range: 200 miles

Max Charge Rate: 100 kW

Availability: Pre-production

Base Price: \$125,000

Website: <https://bollingermotors.com/bollinger-b2/>



[BACK TO TOP](#)



Endera Motors L Series

Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Payload: 6,900-6,100 lbs

Chassis/Body Type: Straight/Box Truck

Energy Storage Capacity: 151 kWh

Range: 135 miles

Max Charge Rate: 180 kW

Availability: In production

Base Price: \$173,598

Website: <https://www.enderamotors.com/our-l-series>

[BACK TO TOP](#)



Envirotech Electric Cutaway

Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Payload: 8,488 lbs

Chassis/Body Type: Cutaway

Energy Storage Capacity: 106 kWh

Range: 170 miles

Max Charge Rate: 6.6 kWh

Availability: In production

Base Price: 119,900

Website: <https://envirotechvehicles.com>

[BACK TO TOP](#)



Ford F-150 Lightning

Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: 2,000 lbs

Chassis/Body Type: Pickup

Energy Storage Capacity: Not available

Range: 230-300 miles

Max Charge Rate: 19.2 kW

Availability: In production

Base Price: \$39,974

Website: <https://www.ford.com/...>



[BACK TO TOP](#)

GMC Hummer

 GMC

WE ARE PROFESSIONAL GRADE



Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: Not available

Chassis/Body Type: Pickup

Energy Storage Capacity: 192 kWh

Range: 350 miles

Max Charge Rate: 350 kW

Availability: Pre-production

Base Price: \$112,595

Website: <https://www.gmc.com/electric-truck/hummer-ev>

[BACK TO TOP](#)



GreenPower EV Star Series

Weight Class (GVWR): Class 5 (16,001-19,500 lbs),
Class 4 (14,001-16,000 lb)

Payload: 6,000-6,000 lbs

Chassis/Body Type: Van, Straight/Box Truck, Cutaway

Energy Storage Capacity: 118 kWh

Range: 150 miles

Max Charge Rate: 50 kW

Availability: Production

Base Price: \$149,900

Website: <https://www.greenpowerbus.com>

Sales Contact:

Ryan Shetterly

Vice President

Sales & Marketing

ryne@greenpowerbus.com

[BACK TO TOP](#)

Hercules Alpha



Weight Class (GVWR): Class 3 (10,001-11,000 lbs)

Payload: 2,500 lbs

Chassis/Body Type: Pickup

Energy Storage Capacity: Not available

Range: 350 miles

Max Charge Rate: Not available

Availability: In production

Base Price: Not available

Website: <https://herculesev.com/hercules-alpha-2/>

[BACK TO TOP](#)



Lightning eMotors E-450 Box Truck



Weight Class (GVWR): Class 4 (14,000-16,000 lbs)

Payload: 6,900 lbs

Chassis/Body Type: Cutaway

Energy Storage Capacity: 86 kWh, 129 kWh

Range: 80-110 miles

Max Charge Rate: 80kW

Availability: In production

Base Price: Customized

Website: <https://lightningemotors.com/lightningelectric-e450-cutaway/>

Sales Contact:

Julie Johnson

Enterprise Business Development

julie.johnson@lightningsystems.com

[BACK TO TOP](#)

Build a Better Business



Lordstown Motors Endurance

Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: 3,000 lbs (7,500 lbs tow)

Chassis/Body Type: Pickup

Energy Storage Capacity: 109 kWh

Range: 250 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: \$52,500

Website: <https://lordstownmotors.com/pages/endurance>

[BACK TO TOP](#)



Optimal EV E1



Weight Class (GVWR): Class 4 (14,001-16,000 lb)

Payload: Not available

Chassis/Body Type: Cutaway

Energy Storage Capacity: 134 kWh

Range: 125 miles

Max Charge Rate: 60 kW

Availability: In production

Base Price: \$120,000

Website: <https://optimal-ev.com/about>

[BACK TO TOP](#)



Phoenix ZEUS 500 Truck

Weight Class (GVWR): Class 4 (14,000-16,000 lbs)

Payload: 6,500 lbs

Chassis/Body Type: Cutaway

Energy Storage Capacity: 63-156 kWh

Range: 70-160 mi

Max Charge Rate: 50 kW

Availability: In production

Base Price: \$202,500

Website: <http://www.phoenixmotorcars.com/products/#trucks>

Sales Contact:

Thomas Allen

Sales Manager

thomasa@phoenixmotorcars.com

[BACK TO TOP](#)



RAM



RAM 1500

Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: Not available

Chassis/Body Type: Pickup

Energy Storage Capacity: 159-200 kWh

Range: 500 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: Not available

Website: <https://www.forbes.com/wheels/news/...>

[BACK TO TOP](#)



Rivian R1T

Weight Class (GVWR): Class 2 (6,001-10,000 lbs)

Payload: 1,760 lbs (11,000 lbs tow)

Chassis/Body Type: Pickup

Energy Storage Capacity: 105 kWh, 135 kWh, 180 kWh

Range: 314 miles

Max Charge Rate: 160 kW

Availability: Pre-production

Base Price: \$67,500

Website: <https://rivian.com/>

[BACK TO TOP](#)

ROUSH[®]
CLEANTECH



ROUSH CleanTech F-650

Weight Class (GVWR): Class 6 (19,501-26,000 lb)

Payload: 14,500 lbs

Chassis/Body Type: Chassis Cab

Energy Storage Capacity: 138 kWh

Range: 100 miles

Max Charge Rate: 19.2 kW

Availability: Pre-production

Base Price: Not available

Website: <https://www.roushcleantech.com/ford-f-650-chassis-cab/>

[BACK TO TOP](#)

Sales Contact:
Adam Wilkum
Business Development
Manager 313.400.8676
adam.wilkum@roush.com



SEA Electric MD Cutaways

Weight Class (GVWR): Class 4 (14,000-16,000 lbs); Class 5 (16,001-19,500 lbs); Class 6 (19,501-26,000 lbs)

Payload: 85% - 90% of conventional load

Available Models: Ford F-650

Energy Storage Capacity: 138 kWh

Range: 200 miles

Max Charge Rate: 19.2 kW

Availability: In production (conversion and repower)

Base Price: Not available

Website: <https://www.sea-electric.com/>


Sales Contact:

Steve Brooks

VP of Sales

steveb@sea-electric.com

[BACK TO TOP](#)



Tesla Cybertruck

Weight Class (GVWR): Class 2 (6,001-10000 lbs)

Payload: 3,500 lbs

Chassis/Body Type: Pickup

Energy Storage Capacity: Not available

Range: 250 miles

Max Charge Rate: Not available

Availability: Pre-production

Base Price: \$39,900

Website: <http://www.tesla.com>

[BACK TO TOP](#)

VMC



VMC 1200

Weight Class (GVWR): Class 3 (10,001-14,000 lbs)

Payload: 6,000 lbs

Chassis/Body Type: Straight/Box Truck

Energy Storage Capacity: 150 kWh

Range: 180 miles

Max Charge Rate: 50 kW

Availability: In production

Base Price: Not available

Website: <https://vmctrucks.com/>

[BACK TO TOP](#)

Zeus Electric Chassis Z-19, Z-22, Z-26

ZEUS
ELECTRIC CHASSIS



Weight Class (GVWR): Class 6 (19,501-26,000 lbs), Class 5 (16,001-19,500 lbs)

Payload: 8,000-13,000 lbs

Chassis/Body Type: Cutaway

Energy Storage Capacity: Not available

Range: 200 miles

Max Charge Rate: Not available

Availability: In production

Base Price: Not available

Website: <https://xostrucks.com/>

[BACK TO TOP](#)

Thank you.

See more electric vehicles offerings and specs at CALSTART:
<https://globaldrivetozero.org/resources/zero-emission-technology-inventory/>

Want to learn more about the program, visit pge.com/evfleet

Ready to talk to a customer onboarding specialist, visit
pge.com/evfleetform

