

Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
In Response to Data Request, R15-01-008 - 2022 June Report
Appendix 1 - Rev. 03/30/22

Emissions included in the Report are based on miles of transmission pipeline. Therefore provide the miles of transmission pipeline in your system here. The following data on transmission pipeline leaks is **for information purposes** and will not be used to report transmission pipeline leak emissions this year. Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value. At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange.

ID	Geographic Location	Pipe Material	Pipe Size (nominal)	Pipe Age (months)	Pressure (psi)	Leak Grade	Above Ground or Below Ground	Discovery Date (MM/DD/YYYY)	Repair Date (MM/DD/YYYY)	Scheduled Repair Date (MM/DD/YYYY)	Reason for Not Scheduling a Repair	Number of Days Leaking	Emission Factor (Mcf/Day)	Annual Emissions (Mcf)	Explanatory Notes / Comments
Transmission	SDG&E	PC	All	All	All	All	All	N/A	N/A	N/A	N/A	N/A	0.38	81.7	215 Miles - For 2021, the INGA Greenhouse Gas Emissions are estimated at 82 MMT.

SDG&E June 15th, 2022

Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.

In Response to Data Request, R15-01-008 - 2022 June Report

Appendix 1 - Rev. 03/30/22

Notes:

Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value.

At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange

Transmission Pipeline Damage (3rd party dig-ins, natural disasters, etc.):

ID	Geographic Location	Damage Type	Pipe Material	Pipe Size (nominal)	Pipe Age (months)	Pressure (psi)	Leak Grade	Above Ground or Below Ground	Discovery Date (MM/DD/YY)	Repair Date (MM/DD/YY)	Number of Days Leaking	Emission Factor (Mscf/Day)	Annual Emissions (Mscf)	Explanatory Notes / Comments
----	---------------------	-------------	---------------	---------------------	-------------------	----------------	------------	------------------------------	---------------------------	------------------------	------------------------	----------------------------	-------------------------	------------------------------

Sum total

0

SDG&E June 15th, 2022

**Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
In Response to Data Request, R15-01-008 - 2022 June Report
Appendix 1 - Rev. 03/30/22**

Notes:

Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value.

At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange.

Transmission Pipeline Blowdowns:

ID	Geographic Location	Number of Blowdown Events	Annual Emissions (Mscf)	Explanatory Notes / Comments
NA	Various	2	0.04	RVS (20 scf/inspection))
NA	Various	12	0.36	Drips (30 scf/inspection)
NA	Various	63	0.126	Pneumatic Device Annual Inspections (workers & Controllers) - Estimated avg. gas vented = 2 scf/insp
NA	92028/92025	19	16.76	Pigging Operation Launcher/Receiver Emissions
NA	92008/92027	10	2.66	Pigging Operation Launcher/Receiver Emissions
NA	92122	2	0.42	Pigging Operation Launcher/Receiver Emissions
NA	Various	100	0.269	Transmission Odor Intensity Tests
BD-2021-11	92145	1	19.76	Pipeline Blowdown associated with Pipeline Safety Enhancement Plan Project on Line 1600
BD-2021-12	92145	1	15.82	Pipeline Blowdown associated with Pipeline Safety Enhancement Plan Project on Line 1600
BD-2021-13	92145	1	18.23	Pipeline Blowdown associated with Pipeline Safety Enhancement Plan Project on Line 1600
BD-2021-1	92145	1	0.85	Pipeline Blowdown associated with Pipeline Safety Enhancement Plan Project on Line 1600
Sum Total			75	

SDG&E June 15th, 2022

Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
In Response to Data Request, R15-01-008 2022 June Report
Appendix 1 - Rev. 03/30/22

Notes:

Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value.

At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange

The emissions captured on this tab represent the emissions associated with the operational design and function of the component. Any intentional release of natural gas for safety or maintenance purposes should be included in the Blowdowns worksheet.

Transmission Pipeline Component Vented Emissions:

Total Number of Devices/Count of devices	Device Type	Bleed Rate	Manufacturer	Emission Factor (Mscf/day)	Annual Emission (Mscf)	Explanatory Notes / Comments
28 P		I		0.0576	588.67	Asset verification projects of Transmission Pipeline components, resulting in more accurate inventory of component count.

Sum total 589

Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.

In Response to Data Request, R15-01-008 2022 June Report

Appendix 1 - Rev. 03/30/22

Transmission Pipeline Component Fugitive Leaks:

Transmission Pipeline Component Fugitive Leaks:										12/31/2021	1/1/2021
ID	Geographic Location	Device Type	Bleed Rate	Manufacturer	Discovery Date (MM/DD/YYYY)	Repair Date (MM/DD/YYYY)	Number of Days Leaking	Emission Factor (Mscf/day)	Annual Emission (Mscf)	Explanatory Notes / Comments	Prior Survey Date (MM/DD/YYYY)
102903	92110	V	N/A	N/A	5/29/2020	4/23/2021	112	NA	NA	Valve component on Transmission pipeline. Emissions accounted for by mileage-based NGAA Emission Factor.	5/14/2019
102542	91942	A	N/A	N/A	2/19/2021	2/19/2021	49	NA	NA	Component on Transmission pipeline. Emissions accounted for by mileage-based NGAA Emission Factor.	8/27/2020
107904	92108	A	N/A	N/A	6/21/2021	6/21/2021	161	NA	NA	Component on Transmission pipeline. Emissions accounted for by mileage-based NGAA Emission Factor.	5/14/2020
108028	91913	P	N/A	N/A	9/7/2021	9/7/2021	249	NA	NA	Pneumatic component on Transmission pipeline. Emissions accounted for by mileage-based NGAA Emission Factor.	10/28/2020
102549	91913	C	N/A	N/A	9/7/2021	9/7/2021	249	NA	NA	Component on Transmission pipeline. Emissions accounted for by mileage-based NGAA Emission Factor.	10/28/2020
Sum total									0		

SDG&E June 15th, 2022

Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
In Response to Data Request, R15-01-008 2022 June Report
Appendix 1 - Rev. 03/30/22

Notes:

Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value.
At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange.

Transmission Pipeline Odorizers:

ID	Geographic Location	Number of Units	Emission Factor (Mscf/yr)	Annual Emission (Mscf)	Explanatory Notes / Comments
Gas Quality Equipment	Various	6		10.672	Transmission (BTU, Gas Quality), Gas Chromatographs (GC). Use manufacturing specs. See Notes in Appendix 9.
Gas Quality Equipment	Various	0		0	Located in Storage, GCs and Gas Analyzers. Use manufacturing specs. See Notes in Appendix 9.
Gas Quality Equipment	Various	4		24.666	Transmission (Interstate, Interutilities), GCs and Gas Analyzers. Use manufacturing specs. See Notes in Appendix 9.
Gas Quality Equipment	Various	6		44.728	Transmission (Producers), Gas Analyzers. Use manufacturing specs. See Notes in Appendix 9.
Gas Quality Equipment	Various	2		0.022	Transmission (Producers), Gas Sample/Quality Tests. Use manufacturing specs. See Notes in Appendix 9.
Odorizer	Various	4		2.123	YZ Odorizer. Use manufacturing specs. See Notes in Appendix 9.
Sum total				82	

r

Appendix 1 - Rev. 03/30/22

Header column "Comment" boxes displayed below for reference.	
Column Heading	Description and Definition of Required Contents (IF not self-explanatory)
Tab: Pipeline Leaks	
ID	
Geographic Location	GIS, zip code, or equivalent
Pipe Material	PB = cathodically protected steel, bare PC = cathodically protected steel, coated UB = unprotected steel, bare UC = unprotected steel, coated
Pipe Size (nominal)	
Pipe Age (months)	
Pressure (psi)	MOP = maximum operating pressure over the past year
Leak Grade	1 = grade 1 2 = grade 2 2+ = grade 2+ 3 = grade 3 AH = Above Ground Hazardous synonymous with Grade 1. AN = Above Ground Non-Hazardous AM = Above Ground Non-Hazardous Minor (akin to grade 3 below ground leak). N = non-graded or ungraded
Above Ground or Below Ground	A = above ground B = below ground
Discovery Date (MM/DD/YY)	
Repair Date (MM/DD/YY)	Date that the pipeline repair stopped the leak. Any associated blowdowns resulting from the repair should be included in the blowdowns tab.
Scheduled Repair Date (MM/DD/YY)	If leak is open, specify the scheduled date of repair, or type "M," signifying that the leak is being monitored with no scheduled date of repair. Then, provide the reason for not scheduling a repair in Column for that purpose.
Reason for Not Scheduling a Repair	If not scheduled for repair (e.g. with a "M" for monitoring the leak in Scheduled Repair Date), then provide the reason for not scheduling a repair.
Number of Days Leaking	If the leak was discovered by survey in the year of interest, then assume leaking from January 1st of subject year <u>thru</u> repair date or December 31st of subject year, whichever is earlier. (E.G. Days Leaking = Repair - Jan 1st + 1 day.) (For days leaking for leaks carried over use January 1st as start date for emissions calculations.) For O&M discovered leaks, assume that the leak begins with the discovery date <u>thru</u> repair date or December 31st of subject year, whichever is earlier.
Emission Factor (Mscf/Day)	
Annual Emissions (Mscf)	
Explanatory Notes / Comments	
Tab: All Damages	
ID	
Geographic Location	GIS, zip code, or equivalent
Damage Type	E = excavation damage N = natural force damage O = other outside force damage
Pipe Material	PB = cathodically protected steel, bare PC = cathodically protected steel, coated UB = unprotected steel, bare UC = unptotected steel, coated

Appendix 1 - Rev. 03/30/22

Header column "Comment" boxes displayed below for reference.	
Column Heading	Description and Definition of Required Contents (IF not self-explanatory)
Pipe Size (nominal)	
Pipe Age (months)	
Pressure (psi)	MOP = maximum operating pressure over the past year
Leak Grade	1 = grade 1 2 = grade 2 2+ = grade 2+ 3 = grade 3 N = non-graded or ungraded
Above Ground or Below Ground	AH = above ground, hazardous AN = above ground, non-hazardous B = below ground
Discovery Date (MM/DD/YY)	
Repair Date (MM/DD/YY)	
Number of Days Leaking	<p>If date and time stamp are reliable and used consistently by respondent, then emissions may be calculated based on actual time leaking. E.G. Repair time - damage event time = duration of event.</p> <p>If respondent has average or historical leak duration based on the nature and circumstances of damages, then these may be applied to like damage events. The emissions factors should be adequately supported and explained in the filing.</p> <p>If actual time stamps and historical averages are not available, then whole days should be used in the engineering calculation. The leak begins with the damage event date thru repair date or December 31st of subject year, whichever is later. E.G. Days Leaking = Repair date - date of damage + 1 day.</p>
Emission Factor (Mscf/Day)	
Annual Emissions (Mscf)	
Explanatory Notes / Comments	Provide method of calculation and example of formula. Explain how any EF's used were derived.
Tab: Blowdowns	
ID	
Geographic Location	GIS, zip code, or equivalent
Number of Blowdown Events	
Annual Emissions (Mscf)	
Explanatory Notes / Comments	Provide method of calculation and example of formula.
Tab: Component Vented Emissions	
Geographic Location	GIS, zip code, or equivalent
Device Type	C = connector O = open-ended line M = meter P = pneumatic device PR = pressure relief valve V = valve
Bleed Rate	L = low bleed I = intermittent bleed H = high bleed NA = not applicable

Appendix 1 - Rev. 03/30/22

Header column "Comment" boxes displayed below for reference.	
Column Heading	Description and Definition of Required Contents (IF not self-explanatory)
Manufacturer	
Annual Emissions (Mscf)	Because the emissions are a factor of design or function, these emissions counted for the entire year. E.G. 365 days times the actual volume emitting if known, or the approved Emissions Factor.
Explanatory Notes / Comments	Note whether the emissions are based on actual volumetric measures.
Tab: Component Leaks	
ID	
Geographic Location	GIS, zip code, or equivalent
Device Type	C = connector O = open-ended line M = meter P = pneumatic device PR = pressure relief valve V = valve
Bleed Rate	L = low bleed I = intermittent bleed H = high bleed NA = not applicable
Manufacturer	
Discovery Date (MM/DD/YY)	List the actual discovery date. If the leak was discovered in the year of interest, then we will assume the component was leaking from the beginning of the year for emissions reporting purposes, or prior survey date if surveyed previously within the year of interest.
Repair Date (MM/DD/YY)	Date that the component repair stopped the leak. Any associated blowdowns as a result of the repair should be included in the blowdowns tab.
Number of Days Leaking	Assume Leaking from January 1 of subject year or prior survey date, whichever is later, thru the repair date (if repaired in year of interest) or December 31 of subject year, whichever is earlier. For O&M discovered leaks, assume that the leak begins with the discovery date thru repair date or December 31st of subject year, whichever is earlier.
Annual Emissions (Mscf)	
Explanatory Notes / Comments	
Tab: Odorizers	
ID	
Geographic Location	GIS, zip code, or equivalent
Number of Units	
Emission Factor (Mscf/yr)	
Annual Emission (Mscf)	All of the emissions from the odorizing process and equipment.
Explanatory Notes / Comments	